

## GENERAL SPECIFICATIONS

• L.O.A*:	10,98 m	36'0"
• Hull length:	9,98 m	32'9"
• Overall width:	4,00 m	13'1"
• Beam:	3,98 m	13'1"
• Light displacement (EC):	7 450 kg	16,420 lbs
• Air draught**:	3,62 m	11'11"
• Air draught***:	7,64 m	25'1"
• Draught:	1,00 m	3'3"
• Fuel tank:	800 L	211 US Gal
• Water tank:	320 L	85 US Gal
• Maximum engine power:	1 x 425 HP	1 x 425 HP
• Max engine certification:	425 HP	425 HP

\* (with aft swimming platform)

\*\* (with mast folded)

\*\*\* (with mast in position)

## ARCHITECTS / DESIGNERS

- Naval Architect: BENETEAU POWER
- Interior design: M. JOUBERT & B. NIVELT

## CE CERTIFICATION

- Category B - 8 people
- Category C - 10 people
- Category D - 11 people



**BENETEAU**

# Swift Trawler 34 Fly

General Equipment list

## STANDARD EQUIPMENT

### CONSTRUCTION

---

#### HULL

Composition:

- Sandwich (Polyester resin - Glass fiber / Balsa core)
- White gel coat
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)

Profile:

- Semi-floating hull
- Stainless steel guard sheer rail on hull

#### DECK

Composition:

- Sandwich (Polyester resin - Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- White gel coat
- Diamond tip type non-slip covering

### DECK EQUIPMENT

---

Gangway door to starboard

#### MOORING LINES - MOORING

- Stainless steel bow fitting
- Stainless steel bow roller and swing
- 6 Mooring cleats (L 300mm / 12")
- Stainless steel gunwale guards
- 1 Mooring locker with self-bailer - Hood cover

#### SAFETY ON DECK

- Handrails in cockpit
- Stainless steel open pulpit

#### COCKPIT

- Self-bailing cockpit
- 1 Locker in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker
- Hot/cold water cockpit shower
- Cockpit gate in transom
- Stainless steel and polyester trim swim platform with natural solid wood
- 1 Stainless steel swimming ladder, in position
- 1 Access door to catwalk from cockpit with grey-tinted porthole

### FLY BRIDGE

- Flybridge self-bailing
- Stainless steel access ladder to flybridge with plain solid wood steps and handrails stainless steel
- Polyester trap door with gas piston
- Grey tinted windscreen in PMMA
- Stainless steel pulpit surrounding aft of flybridge
- Mast, Navigation light mounting, Radar, Aerials and deck spotlight
- Pilot console with control panel including: Electric engine controls\*, Electric windlass control, Thruster\* and Flaps
- Fuel gauge indicator
- Tiller angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- 12 V socket
- 1 Adjustable pilot seat - PVC Storm & Snow upholstery
- flybridge saloon to port consisting of L-shaped bench seat with fitted storage space and removable plain solid wood table
- PVC Storm & Snow upholstery

\* according to options

### INTERIOR

---

- Woodwork Alpi Mahogany (optional extra: Walnut version)
- Parquet type laminated floors (optional extra: rovere type laminated floorboards)
- Taupe Cushions

#### SALOON

Headroom: 1,96 m / 6'5"

- Sofa convertible into double berth (1,20 x 2,00 m / 3'11" x 6'7")
- Height adjustable fold down saloon table in varnished wood
- 2 Director armchairs
- Grey tinted glass opening side windows in black painted aluminium frame
- Storage cupboards
- Shelving
- 3 leaved aft window door with black lacquered aluminium frame
- Pillar in stainless steel
- CD player / MP3, USB, IPOD®. Remote control
- 2 loudspeakers in wheelhouse and 2 loudspeakers in cockpit



**BENETEAU**

# Swift Trawler 34 Fly

General Equipment list

## GALLEY

Headroom: 1,96 m / 6'5"

U-shaped galley - Includes:

- Work top
- 2 Stainless steel sinks with cold/hot water mixer taps under pressure
- 2 hob cooker and gas oven
- 130 L front opening fridge (Supply 220 V / 12 V)
- Cutlery drawer
- Storage
- Bin

## STEERING STATION

- Two-seater pilot and copilot bench - PVC Nuance Coffee Bean upholstery
- Removable floor step
- Storage under pilot bench
- Sliding side door with direct access to catwalk, To starboard
- Clear glass windscreen with aluminium frames, black lacquered
- 3 Electric windscreen wipers
- Windscreen washer
- Demister
- Door to access catwalk
- Grey tinted fixed windows with curtains, in black painted aluminium frame
- Instrument panel with wide space for fitting navigation electronics
- Engine dials: Revolution counter, Fuel gauge, Warnings, Tiller angle indicator, Flap indicators
- Electric windlass control\*
- Control "Bow and stern thrusters"\*
- Navigation lights
- Fog horn
- Engine control
- Steering wheel
- Steering compass
- 12 V socket

\* according to options

## HEAD (STARBOARD)

Headroom: 1,85 m / 6'1"

- Head completely counter moulded
- Mirror
- Upper cupboard, Base cabinet
- Electric pump for shower draining
- 1 Opening hatch with blackout blind
- 1 Opening porthole with curtain
- Quiet flush electric toilet
- Basin
- Mixer tap
- Rigid holding tank 88L / 23 US Gal
- Chrome toilet paper holder
- Glass holder with glass
- Shower curtain

## OWNER'S CABIN (FORWARD)

Headroom: 1,95 m / 6'5"

- Double berth (1,99 x 1,60 m / 6'6" x 5'3")
- Marine mattress
- Mirror
- 2 Closets, one with shelves
- Large storage space under berths
- 1 Opening hatch with blackout blind
- 2 Opening hull portholes with blackout curtains

## GUEST CABINS (PORT SIDE)

Headroom: 1,85 m / 6'1"

- Bunk beds (0,72 x 1,85 m / 2'4" x 6'1")
- Marine mattress
- Base cabinet
- Storage under berth
- 1 Deck house sunroof with fitted mosquito net
- 2 Opening hull portholes with blackout curtains

## ENGINE

- Shaft line propulsion
- 5 blade propeller
- Single engine Cummins® QSB6.71 425 HP / HP (313 Kw)
- Fuel filter with decanter
- Sea water filter
- Engine room soundproofed with high density foam 40 mm / 1-1/2" thick
- Air intakes for engine hold cooling, on deck
- Extinguisher
- Fuel tank deck filler
- Aluminium fuel tank (Capacity = 800 L / 211 US Gal) pre-fitted for FPS (Fuel Polishing System) connection system
- Steering system: Hung rudder, in stainless steel
- Hydraulic steering
- Electric trim tabs
- Bow thruster Quick BTQ 185 65 12

## ELECTRICITY

- Electrical panel 12 V / 220 V
- 220 V shore power
- 2 Engine batteries 12 V 50 Ah
- 1 Service battery 12 V 140
- Battery charger
- 2 Sockets 12V
- Interior lighting (Overhead lights, reading lights)
- Outside lighting (Navigation lights, Mooring light, Spot cockpit)

## PLUMBING

- 1 Manual bilge pump (Cockpit)
- 1 Electric bilge pump Automatic
- Water pump for pressurising hot/cold water system
- 25 L / 7 US Gal water heater working off engine exchanger and 220 V
- Water tank filler
- 1 Rotational moulded water tank 320 L / 85 US Gal
- 1 Reservoir grey waters 320 l / 85 US Gal (optional extra)

## TRIM LEVEL

	ESSENTIAL	LOUNGE
1000 W Electric windlass	■	■
Pump for deck washing	■	■
1 Multifonction screen es97 on flybridge	■	■
1 es97 Multifunction screen - Chart plotter - Colour depth sounder - GPS in wheelhouse	■	■
Console cover Fly		■
White lacquered aluminium loading boom		■
PVC Storm & Snow forward sun mattress		■
Shore freshwater supply with pressure regulator		■
Deck searchlight		■

## OPTIONS

### PACKS

#### PACK UPGRADE ELECTRONIC



- p70RS autopilot
- Multifunction es127 screen in wheelhouse in place of the es97
- double VHF set with AIS



### OTHER OPTIONS

- Complete mooring kit (Anchor 16 kg / 35 lbs - 4 Mooring ropes - 6 Fenders)
- Hydraulic gangway
- Rear closure cockpit Dune or Silver (in the choice)
- flybridge bimini Dune or Silver (in the choice) + Dodger
- Starboard cockpit and catwalk decked in solid plain wood
- Quantum Digital radar
- Outside wheelhouse curtains Sunworker - blanks
- Stern thruster Quick BTQ 185 65 12 - 2 Posts
- 6KVA Electric generator - 220V / 50 Hz - with cocoon
- 220v air conditioning (16 000 BTU in wheelhouse + 6 000 BTU for each cabin)
- Forced air heating fuel
- Oven Grill Microwave 220 V (as replacement for gas oven)
- 220 V Dishwasher - 5 people
- Icemaker - 220V / 50 Hz
- TV + Dvd in lounge
- Steel blue hull
- Grey "Perle" hull
- Corail carpet in the wheelhouse
- Carpet Corail (2 cabins + Passageway)
- Flat screen TV LED 22" + Player DVD / Player MP3 Fusion® in master cabin
- Pre-wiring for satellite TV reception
- Thermal imaging camera T300 Raymarine
- Saloon upholstery "Fabrics"
- Saloon upholstery "PVC"
- Saloon upholstery "Ultraleather Promessa"
- Saloon upholstery "Leather"
- Cockpit bench seat + Cushions
- Mosquito nets, Side door + Aft window door
- Mosquito nets on round portholes
- Separation curtain: Saloon / Galley
- Exterior upholstery PVC Diamante Storm piping, Twin colored Storm & Snow PVC, Twin colored Diamante Honey-Expresso PVC
- Yacht Case ELLE DECO® table setting
- Multifunction e127 screen in wheelhouse (in place of the e97)
- Rear camera
- Windvane anemometer
- Cummins maintenance kit
- Thermal imaging camera
- 2 nd service battery



America/Export: Please note that electric power and appliances may be different and/ or not offered on standard or on option. They would be adapted locally by your dealer.





Some rough indicative surfaces:

Saloon + Galley + Wheelhouse: 7,5 m<sup>2</sup> / 80 sq ft  
 Owner's cabin: 5 m<sup>2</sup> / 54 sq ft  
 Cockpit: 4,8 m<sup>2</sup> / 52 sq ft

