Sense (55')

Inventory list - Europe





3 cabins - 3 head compartments



3 cabins - 3 head compartments - 1 Occasional cabin (optional)



GENERAL SPECIFICATIONS

• L.O.A	17,20 m	*56'5"*
• Hull length	16,80 m	*55'1"*
• L.W.L.	15,93 m	*52'3"*
• Beam	4,97 m	*16'4"*
• Deep draught	2,40 m	*7'10"*
• Deep ballast weight	4 900 kg	*10,803 lbs*
• Shallow draught	1,85 m	*6'1"*
• Shallow ballast weight	5 500 kg	*12,125 lbs*
• Air draught	23,91 m	*78'5"*
• Light displacement (EC)	18 560 kg	*40,918 lbs*
• Fuel capacity (standard)	415 l	*110 US Gal*
• Fuel capacity (Optional equipment)	415 l	*110 US Gal*
• Freshwater capacity (standard)	640 l	*169 US Gal*
• Freshwater capacity (Optional equipment)	330 l	*87 US Gal*
• Engine power	POD 120	*POD 120*

ARCHITECT / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

EC CERTIFICATE

- Category A - 10 persons
- Category B - 11 persons
- Category C - 16 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	74 m²	*796 sq ft*
• Genoa (105 %)	78,5 m²	*845 sq ft*
• Asymmetric spinnaker	208,3 m²	*2,242 sq ft*
• I	21,25 m	*69'9"*
• J	7,31 m	*24'*
• P	20,2 m	*66'3"*
• E	6,35 m	*20'10"*

Sense (55')

Inventory list - Europe

STANDARD EQUIPMENT

CONSTRUCTION

- Design in accordance with European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Hull/deck joint screwed, bonded and covered with a single solid wood rubbing strake screwed in place
- Cast iron keel bonded and bolted using stainless steel bolts and counter plate
- Twin underhung rudders with stainless steel stock
- White coloured hull - Grey metallic livery

DECK EQUIPMENT

RIGGING

- Standard mast SELDEN 9/10 electro-polished aluminium installed on the deck, 2 aft-swept spreaders - MDS roller slides
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- Backstay: Briddle
- Rigid boom vang with tackle
- Genoa furling system with drum on the deck
- 2 Blocks "STANDUP" on mainsheet arch
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 rapid reefing lines, 1 manual reef
- 12 Jammers, and other control lines
- 2 rope boxes

WINCHES

- 2 Self-tailing genoa sheet winches (H60.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC to starboard, H50.2 STC to port)
- 2 Winch handles SpeedGrip
- 2 Winch handle boxes

SAILS

- Dacron furling genoa
- Full batten dacron mainsail with Beneteau logo
- Lazy Jack and Lazy Bag in Natural colour

MOORING LINES - MOORING

- Self-draining chain locker
- Stainless steel bow fitting 2 rollers - Stainless steel bobstay
- 12 V - 1500 W Vertical electrical windlass - Remote control
- 8 Stainless steel mooring cleats - Stainless steel deck line protection

SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder
- Hatch giving access to chain locker

SAFETY ON DECK

- 1 Open stainless steel forward pulpit
- 2 fixed stainless steel pushpits
- Stainless steel backrests fitted to helm seats
- 1 Lifebuoy support bracket
- 1 Outboard engine bracket
- 1 Ensign staff
- Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch

COCKPIT

- Self-draining cockpit
- 1 Port cockpit locker (Access to technical area or Occasional cabin (optional))
- 1 Starboard cockpit locker (Access to technical area)
- Gas locker beneath starboard cockpit seat
- Natural solid wood slatted cockpit benches
- 1 Liferaft locker in cockpit sole
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm / *2'11''* diameter - leather covered - Stainless steel handrail - navigation instrument support (optional instruments) - Glass holder - 2 Steering compass on binacle
- 2 Deck access points to tiller system
- Backrests to helm Natte Stone
- 1 Tiller
- Engine throttle and control panel to starboard
- Wooden cockpit table with leaf to starboard which can be transformed into sun-bathing area
- 1 Fixed composite arch
- 2 waterproof loudspeakers on fixed arch
- Cockpit lighting integrated in fixed arch
- 1 Glazed companionway hatch drops into cockpit sole - manually operated
- 2 Fixed windows to the aft of the coachroof

AFT TRANSOM

- Retractable transom to cockpit
- 2 Height-adjustable helmsman's seats
- Natural solid wood decking on sun deck
- 1 Stainless steel bathing ladder - solid wood steps - folds into locker
- 1 Hot and cold cockpit shower
- 1 Shore power socket
- 2 wet lockers on skirt
- Transom protector for raising the tender

INTERIOR

- Fruitwood Apli joinery or Alpi Fruitwood / lacquered white - Saloon / Galley (optional)
- White ceruse oak laminate flooring
- Bulkheads upholstered in vinyl fabric
- Fabric upholstery in the saloon
- Marine mattresses in the cabins

COMPANIONWAY

- Headroom: 1,99 m / 6'6''
- Wooden companionway with cold-moulded 3 steps
- 2 Leather covered stainless steel handrails

Sense (55')

Inventory list - Europe

PORT SALOON

- Headroom: 1,98 m / 6’6’’
- U shaped saloon bench
- Saloon table in 1 piece, Varnished wood top with inlay, Aluminium legs.
- 1 central unit with folding bench seat - Stowage - Bar
- Shelves and stowage along the hull, Storage under bench seats
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Fixed wrap-around window to cockpit + Blind
- 1 flush deck hatch with blind / Mosquito net

CHART TABLE

- Control console with flap - oddments locker - Storage - Moulded wood fiddle
- Navigator's seat with (15°) tilting cushion to compensate for heel
- Electrics panel
- Navigation instrument panel (without instruments)
- Radio CD player / Stereo MP3 - 2 Loud speakers
- Battery switch panel + Breaker panel

GALLEY - STARBOARD

- Headroom: 1,97 m / 6’6’’
- Lengthways kitchen
- Synthetic resin worktop Grey
- 1 Sink with 2 rectangular bowls, in Grey synthetic resin
- 1 Mixer tap cold water / hot water
- 1 Gas cooker 2 burners, Stainless steel oven on mountings
- 1 Fridge 200 l, ice-cube tray, front and top-opening
- 1 Cool box 100 l, top opening
- Cupboards - Drawers - equipped lockers
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Fixed wrap-around window to cockpit + Blinds
- 1 flush deck hatch with blind / Mosquito net

FORWARD CABIN

- Headroom: 1,94 m / 6’4’’
- Central double bed (2,03 m x 1,21 m - 1,70 m / *6’8’’ x 4’ - 5’7’’*) - Slatted bed base
- Wardrobe, Cupboard, Shoe cabinet
- Leather-topped dressing table with removable seat
- Mirrors
- 2 Hull portholes with curtain
- 2 Opening deck hatches with blind / Mosquito nets

FORE WASHROOM

Separate shower to port
- Headroom: 1,93 m / 6’4’’
- Private access via glazed door
- Mirror - Cupboard
- shower mixer tap hot / Cold water
- 1 flush deck hatch with blind / Mosquito net

Separate WC, to starboard
- Headroom: 1,94 m / 6’4’’
- Manual marine toilet
- Washbasin - Synthetic resin worktop - Mixer tap hot water / Cold water
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 1 flush deck hatch with blind / Mosquito net

CABINS - PORT AND STARBOARD

2 Cabins each with:
- Headroom: 1,97 m / 6’6’’
- Sliding entrance door
- Double bed (2,00 m x 1,00 m - 1,56 m / *6’7’’ x 3’3’’ - 5’1’’*) - Slatted bed base
- Hanging locker - Shelving - Drawers
- Mirror
- 1 Hull porthole with curtain
- 1 Opening deck hatch with blind / Mosquito net

HEADS VERSION - PORT AND STARBOARD

2 Each washroom containing:
- Headroom: 1,94 m / 6’4’’
- Private entrance through cabin
- Separate moulded shower, shower mixer tap hot / Cold water
- Manual marine toilet
- Washbasin - Synthetic resin worktop - Mixer tap hot water / Cold water
- Mirror
- Toilet accessories
- Cupboard and cubby hole
- 1 Opening deck hatch with blind / Mosquito net

OCCASIONAL CABIN (OPTIONAL) - In place of the sail locker (Port side)

Access through the cockpit locker
- Headroom: 1,18 m / 3’10’’
- Solid wood sliding ladder
- Marine mattress
- 1 Opening porthole
- 1 Opening hatch

Sense (55')

Inventory list - Europe

ENGINE

- Engine Yanmar Diesel 75 hp / *75 HP* Sail Drive or POD 120 Dock & Go or POD 120 Dock & Go
- Engine control - Starting - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah (Dock & Go: 1 Alternator 12 V / 120 Ah)
- 1 Rotomoulded diesel tank (415 l / *110 US Gal* in the saloon) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Fixed three blades propeller
- Engine access via companionway and machinery space (opening with gas piston)

ELECTRICITY

- 12 V circuit - 220 V circuit
- 2 service batteries (2x140 Ah) - 1 Engine battery (110 Ah)
- 1 40 Ah Battery charger - 1 220V shore power - 1 Power distributor
- Electrical panel (12 V / 220 V) (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning)
- Standard equipment: Sockets 220V
- Interior lighting: Halogen ceiling lights, Reading lights
- Outside lighting: 1 Forward and aft navigation lights - 1 Engine navigation light / Spreader light forward of mast - 1 Anchor light on masthead - 1 Deck light
- Wire runs for options cables

PLUMBING

- 3 Rotomoulded freshwater tanks (3 x 200 l / *3 x 53 US Gal*) - Saloon / Side cabins - Separate fillers - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Expansion tank - Inline filter
- 40 L / *11 US Gal* Electric water heater (Operation off engine or on 220 V electrical system)
- 1 80 L / *21 US Gal* rigid black water holding tank in port head compartment
- Electrical shower drain pumps
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- Gas bottle box in the cockpit (1 or 2 bottles, according to model)
- Regulator and safety tap

Sense (55')

Inventory list - Europe

TRIM LEVEL

	INSPIRATION	SENSATION
Electronic - Helm consoles to port and starboard: •1 Display T41 Graphic B&G (Loch, Speedometer, Depth sounder, Windvane anemometer) •1 Multifunction touchscreen B&G Zeus 9'' wide (GPS - Chart plotter - Chart reader - Cartography Navionics Silver included)	■	■
Electronic - Chart table: •1 Multifunction touchscreen Zeus 12'' wide	■	■
Electronic: Wifi interface	■	■
Cockpit sole natural solid wood	■	■
Galley: 12 V Freezer compartment in 100 L Top-opening icebox - Freezer	■	■
4 Opening ports in galley and saloon windows	■	■
2 service batteries (2 x 140 Amperes x 12 V) + 40 amperes Additional battery charger	■	■
LED: Outside and inside lighting (except deck light)	■	■
Indirect LED lighting under high cupboards	■	■
Shore freshwater supply	■	■
Galley: Freshwater purifier	■	■
1 Port electric coachroof winch H50.2 STCEH	■	■
Inner forestay chainplate	■	■
Sonic Hub + Speakers (BOSE ACOUSTIMASS 3) - Waterproof exterior speakers	■	■
Motorised glazed folding companionway door in cockpit floor - 2 Remote controls	■	■
Textile storage with 2 steering consoles	■	■
Storage space(s) under the floor	■	■
Stainless steel beading for fenders in cockpit locker	■	■
Galley: Extractor hood		■
Galley: Sea water foot pump + Fresh water		■
Galley: Deluxe 3 burners hob, stainless steel oven and grill		■
Pump for deck washing		■
Chart table: Universal recharging station (Cellphone, GPS, PDA, etc...)		■
12 V / 220 V inverter (2 000 KVA)		■

OPTION PACK

	DOCKING	EASY DOCKING (NOT AVAILABLE WITH DOCK & GO)
Bow thruster		■
2 Steering wheels + Console white PVC covers	■	■
Windlass control in cockpit with chain counter to starboard	■	■
4 Moorings lines, Mooring, 8 Fenders	■	■

VERSION

	DOCK & GO
YANMAR Diesel Dock & Go POD 120 engine	■
Swivel Sail Drive base	■
Joystick	■
Vessel Management Unit (VMU)	■
Bow thruster	■
Auto pilot	■

OTHER OPTIONS

NAVIGATION ELECTRONICS B&G

- AC42 autopilot + Control at steering station
- WR20 Simrad Wireless autopilot remote control
- 4G Radar
- AIS 400 (Transmitter / Receiver)
- Port cockpit: B&G H50 VHF, function AIS receiver
- Chart table: Fixed B&G RS90 VHF, function AIS receiver
- Chart table: Zeus 12'' wide additional multifonction screen

RIGGING - SAIL

- Canoe boom
- Flag halyards
- Asymmetric spinnaker rigging + Code 0 Rigging
- Self-tacking jib hardware
- Electric genoa furling system
- Hydranet sail for classic mast (In place of standard)
- Asymmetric spinnaker + Sock
- Hydranet self-tacking jib (replacing genoa)
- Anodised mast furling system with mainsail
- Code 0 on furler (Mylar Taffetas)
- Hydranet self-tacking staysail with manual furling + Fixed forestay
- Easy Sail for classical mast (Genoa sheets adjustable from the cockpit, Clutches on genoa sheet blocks, Hydraulic regulation of the backstay)
- Easy Sail for mast with in-mast furling (Genoa sheets adjustable from the cockpit, Clutches on genoa sheet blocks)

WINCHES

- Electric genoa sheet winches H60.2STCEH
- Starboard electric coachroof winch H46.2STCEH
- Rewind rope handling winch

HULL - DECK - COCKPIT

- Bow thruster
- 3 retractable blades propeller
- Graphite Coachroof sprayhood
- Graphite Cockpit Bimini
- Natte Stone + Quadri Grey outside upholstery
- High comfort outside upholstery
- Blue-grey hull - Pearl white livery
- Grey "Perle" hull - Matte black hull decoration
- Metallic hull paint
- Windex Windvane
- Solid wood slatted catwalks
- 2nd arch with davits and instrument base
- 2nd arch with davits, solar panels + wind turbines
- Starboard wood cockpit table with electrical up/down system - White PVC protective cover
- Wood cockpit table port side, plate and removable seat
- 2 White composite steering wheels

Sense (55')

Inventory list - Europe

INTERIOR EQUIPMENT

- Water maker 60 l/h / *16 US Gal/hour* 12 V/220 V
- Extra water tank (330 litre / *87 US Gal*)
- Additional diesel tank (415 l / *110 US Gal* in the saloon)
- 7 kVA 220 V / 50 Hz Generator
- All-electric galley
- 220V Microwave oven
- 220V Ice maker
- Washer dryer 220 V
- 220 V Dishwasher - 6 persons
- Water system heating
- Chilled water air-conditioning unit 220V
- White-lacquered doors - Saloon / Galley
- Deluxe folding saloon table on electric leg with up/down control
- Electrically-operated saloon window blinds
- Removable blind entrance door
- Removable extra table
- Double berth in saloon
- Safe
- Leather-covered chart table and console unit in the saloon
- Ivoire Complete carpet
- Additional holding tank 80 l / *21 US Gal* - (For manual WC)
- Electric toilet + Rigid tanks
- TV LED 23'' folding + DVD and MP3 player in master cabin
- TV LED 32'' folding + Player Fusion (Bluetooth, USB, Dvd, MP3) in the saloon
- Grey upholstery padding in all cabins or Taupe
- White ceruse oak laminate flooring
- Upholstery: Leather ou Ultraleather

OTHER LAYOUT VERSIONS AVAILABLE

OCCASIONAL CABIN

- Port aft
- Access through the cockpit locker - Opened by gas cylinder
- 1 Single berth
- 1 Opening porthole
- 1 hinged plexiglass panel in the cockpit side

BENETEAU - ZI des Mares - BP 66 - 85270 SAINT HILAIRE DE RIEZ - France. http://www.beneteau.com
Siège social : SPBI - BP 45 - 85170 DOMPIERRE SUR YON
10/06/2014 Code Beneteau 10152 (S) Eng Descriptions, illustrations, etc are provided only for your guidance. Our models may undergo some standard modifications or improvements without notice